EMERALD CUBICLE COLLECTION





PRODUCT CATALOG

888-993-3757





EMERALD CUBICLE COLLECTION

The Emerald Cubicle Collection by SKUTCHI Designs Inc. is a comprehensive solution for modern workplace cubicles and workstation furniture. This versatile system features exceptionally durable, powder-coated aluminum frames and 2½"-thick tackable fabric panels, available in heights of 39", 52", or 65"—perfect for creating both individual and collaborative workspaces.

With hundreds of customizable configurations, the Emerald Cubicle Collection offers a wide range of fabric colors, tempered glass panel tops with optional decorative films, and work surfaces in various laminate finishes.

SKUTCHI Designs Inc. specializes in modular cubicle systems that support endless combinations of colors, glass styles, and work surfaces—ideal for teams of any size. Flexible connectors (straight, 2-way, 3-way, or 4-way) make it easy to design L-shaped, U-shaped, enclosed, or 120-degree workstation layouts to suit your unique needs.

Beyond panels, the Emerald Cubicle Collection includes an extensive lineup of ergonomic furniture and accessories, such as sit-to-stand desks, locking file cabinets, adjustable shelving, overhead storage with locking options, dry-erase boards, padded-top benches with built-in storage, paper organizers, bookshelves, and accessory rails.

For workspaces requiring power or data connectivity, integrated raceway conduits provide clean, concealed cable management for electrical and network wiring.

In short, the Emerald Cubicle Collection is an all-in-one modular solution designed to grow and adapt with your workspace. Its components can be expanded, rearranged, replaced, or shared between workstations with ease.

All materials meet or exceed the safety and durability standards set by the American National Standards Institute (ANSI) and the Business and Institutional Furniture Manufacturers Association (BIFMA).

2 1/2" Thick Panel walls

- Optional Panel Finishes: Tackable fabric
- We offer glass tops (12" and 24" heights) to give a
- feel of open space and natural light
- Single hinged 6"H cable channel for wire management
- on the bottom of ea. panel.
- Panel heights: 39", 52", and 65"
- Custom and quick-ship options available
- Fabric ISO 9001
- Electric: UL Listed
- ANSI/BIFMA

Height Chart



Available in 24"W (as shown) and 36"W





39"H - 65"H Panels

Listed below is the panel information for 39-65"H panels. Panels are priced with tiles included.

Descriptions	SKU	Dimensions	Weight	Price
39"H Solid Panel	EP-2439S EP-3639S	24''W x 39''H 36''W x 39''H	20 lb 29 lb	\$206.88 \$279.76
52"H Solid Panel	EP-2452S EP-3652S	24''W x 52''H 36''W x 52''H	26 lb 37 lb	\$284.01 \$398.79
52"H Glass Panel	EP-2452G EP-3652G	24''W x 52''H 36''W x 52''H	31 lb 44 lb	\$327.48 \$433.46
65"H Solid Panel	EP-2465S EP-3665S	24''W x 65''H 36''W x 65''H	31 lb 42 lb	\$354.30 \$449.37
65"H Glass Panel	EP-2465G EP-3665G	24''W x 65''H 36''W x 65''H	34 lb 50 lb	\$389.85 \$482.97
65"H Double Glass Panel	EP-2465DG EP-3665DG	24''W x 65''H 36''W x 65''H	57 lb 70 lb	\$491.95 \$572.21





Accessories

Pencil Holder



SKU	Dimensions	Price
EPH	3.7"H x 3.5"D x 3.7"W	\$23.51

Paper Tray



SKU	Dimensions	Price
EPT	12"H x 10"D x 4"W	\$23.51

Task Lights

SKU	Dimensions	Price	
235799-1-BS	24''W	\$140.00	
235799-2-BS	36''W	\$150.00	

Paper Rack



SKU	Dimensions	Price
EFT	12"H x 10"D x 4"W	\$23.51

Laminate Markerboard



*Markerboard pricing is for single sided. If placing on both sides of the panel, the cost will be doubled.

SKU	Dimensions	Price
EM-2452S	21-1/2"W x 22"H	\$115.47
EM-3652S	33-1/2"W x 22"H	\$142.88
EM-2465S-MB	21-1/2"W x 33-3/4"H	\$128.44
EM-2465G-MD	21-1/2"W x 22"H	\$115.47
EM-3665S-MB	33-1/2"W x 33-3/4"H	\$157.31
EM-3665G-MB	33-1/2"W x 22"H	\$142.88

Storage

Keep your space organized with the help of these storage options!

Box/Box/File Pedestal



SKU	Dimensions	Price
BBF-F-CH	22''L x 15''W x 27.6''H	\$433.54

30" 2 Drawer Lateral File Pedestal



SKU	Dimensions	Price
LAT-F-CH	18"L x 30"W x 27.6"H	\$565.01

Locking Overhead



SKU	Dimensions	Price
EOC-24	23.25"W x 12.6"D x 15.5"H	\$381.96
EOC-36	35.25"W x 12.6"D x 15.5"H	\$405.34

File/File Pedestal



SKU	Dimensions	Price
FF-F-CH	22''L x 15''W x 27.6''H	\$429.41

Mobile Box/Box/File (Padded Top)



SKU	Dimensions	Price
MBBF	21"L x 15.5"W x 22.6"H	\$299.99

Bookshelf



SKU	Dimensions	Price
1324-BS	24'W x 12.5'D	\$198.84
1336-BS	34-3/4"W x 12-1/2"D	\$211.96



Support

Support options for the Emerald system, and worksurfaces

Panel Support without Caster

SKU	Dimensions	Price
PSL	1-3/4"W x 16-1/2"D x 7-1/2"H	\$50.62

Round Leg



SKU	Dimensions	Price
RBL	8" Diameter x 6"H	\$47.62

Box Leg



SKU	Dimensions	Price
BOX-LEG	23-1/2"W x 1-1/2"D x 28"H	\$198.68

Panel Support with Caster



SKU	Dimensions	Price
PSL-CAST	1-3/4"W x 16-1/2"D x 8-1/2"H	\$50.62

Metal C-Leg with Wire Management



SKU	Dimensions	Price
C-LEG	25-1/4"W x 2-3/4"D x 28"H	\$175.57

Standing Height Box Leg



SKU	Dimensions	Price
BOX-LEG-SH	23-1/2"W x 40-1/4"H	\$227.55

Worksurface Support

SKU Dimensions Price E-CC 3-1/4"D x 3"H \$17.27

Left Cantilever

2

SKU	Dimensions	Price
E-LC	2"W x 18"D x 8"H	\$31.50

Flat Bracket



SKU	Dimensions	Price
FB	2"W x 6"D	\$2.90

Wing Panel Stabilizer Bracket



SKU	Dimensions	Price
E-WPS	3-3/4"W x 2"D	\$5.08

Double Cantilever



SKU	Dimensions	Price
E-RC	2"W x 18"D x 8"H	\$31.50

Right Cantilever



SKU	Dimensions	Price
E-DC	3-1/4"W x 18"D x 8"H	\$47.24

Transaction Support (Set of 4)

50		
SKU	Dimensions	Price
E-TB	2-3/4"H x 2-5/8"D	\$52.03
	Top: 2"W x 1-1/8"D	
	Toothed Side: 2-1/2"H x 1-1/8"D	

Standard	Worksurfaces

SKU	Dimensions	Price
2424-WS-CCODE	24"L x 24"W	\$79.16
2436-WS-CCODE	36"L x 24"W	\$133.59
2448-WS-CCODE	48"L x 24"W	\$153.76
2460-WS-CCODE	60''L x 24''W	\$242.47
2470-WS-CCODE	70"L x 24"W	\$259.27
3672-WS-CCODE	72''L x 36''W	\$455.66

Corner Worksurfaces

SKU	Dimensions	Price
CORNER-WS-CCODE	35-5/8"L x 23-5/8"W	\$132.06

120 Degree Worksurface

SKU	Dimensions	Price
2436-V-CCODE	35-5/8"L x 23-5/9"W	\$277.50
2448-V-CCODE	47-5/8"L x 23-5/10"W	\$338.09

When ordering,	Laminate Finish	
please specify	Classic White	W960
desired color code at	Sea Salt	XD-26
the end of the sku	Black Oak	XD-25
	Driftwood	XD-21
	Maple	XD-08
	Blonde Surfside Ash	K525
	Asian Night	WA7949
	White Cypress	WA7976
	Black Cypress	U999ST19
	Fog Gray	U779
	Natural Eucalyptus	H3041
	Lakeland Salt	K458

Custom



SKU	Dimensions	Price
2484-WS-CCODE	84"L x 24"W	\$282.80
3048-WS-CCODE	48"L x 30"W	\$241.33
3060-WS-CCODE	60''L x 30''W	\$403.04
3084-WS-CCODE	84"L x 30"W	\$452.32
3648-WS-CCODE	48"L x 36"W	\$260.36
3660-WS-CCODE	60''L x 36''W	\$426.54
3672-WS-CCODE	72"L x 36"W	\$455.66
3684-WS-CCODE	84"L x 36"W	\$484.77
CUS-2424-WS	24"L x 24"W	\$79.16
4895-CWS	95"L x 48"W	\$584.56



Sample Layouts

4x4x52 Footprint





5x5x65 Footprint





6x6x65 Footprint





6x6x65 Footprint



6x6x65 Footprint



6'-2" 6'-2"

14'-6

6x6x65 Footprint





SKU	Dimensions
EMTYP-120-4x4x52-G-1019	4'W x 4'D x 52"H

SKU	Dimensions
EMTYP-120-5x5x65-G-1019	5'W x 5'D x 65"H

SKU	Dimensions
EMTYP-120-6x6x65-52-G-1019	6'W x 6'D x 65"H

SKU	Dimensions
EMTYP-120-6x6x65-S-1019	6'W x 6'D x 65"H

SKU	Dimensions
EMTYP-LC06-6x6x65-G-1019	6'W x 6'D x 65"H

SKU	Dimensions
EMTYP-LC-6x8x65-39-SG-1019-01	6'W x 8'D x 65"H

Cubicle Layouts

LC-01

LC-06





120 ° Cubicles





120-03

Q



120-04







Connectors

2-Way 120° Connector

	SKU	Price
	E39-120-2WAY	\$28.58
510	E52-120-2WAY	\$47.24
1	E65-120-2WAY	\$73.58

3-Way 120° Connector

~~ I	SKU	Price
44	E39-120-3WAY	\$28.58
	E52-120-3WAY	\$47.24
B 💥	E65-120-3WAY	\$73.58

2-Way L-Step Down Connector

in l	SKU	Price
200 00	L-SD-65-52	\$104.21
	L-SD-65-39	\$93.63
	L-SD-52-39	\$93.63
X 7		

3-Way Step Down T Connector Exterior



SKU	Price
T1-SD-65-52-65	\$126.72
T1-SD-65-39-65	\$112.43
T1-SD-52-39-52	\$110.78
T2-SD-65-52-52	\$103.12
T2-SD-65-39-39	\$84.46
T2-SD-52-39-39	\$84.46

3-Way Step Down T Connector Interior

Π	3	
╟		
۱Ľ		
Ц	~ H	

SKU	Price
T3-SD-52-65-65	\$103.12
T3-SD-39-65-65	\$91.21
T3-SD-39-52-52	\$91.21
T4-SD-52-65-52	\$104.21
T4-SD-39-65-39	\$85.55
T4-SD-39-52-39	\$85.55

4-Way X-Step Down Connector

	~	ſ
п	~	¢
Ц	0	1
P	5	3

SKU	Price
X1-SD-65-65-52-65	\$112.74
X1-SD-65-65-39-65	\$94.08
X1-SD-52-52-39-52	\$94.08
X2-SD-65-52-52-52	\$104.21
X2-SD-65-39-39-39	\$85.55
X2-SD-52-39-39-39	\$85.55
X3-SD-65-52-65-52	\$131.38
X3-SD-65-39-65-39	\$121.45
X3-SD-52-39-52-39	\$112.72

Straight Connector

ton.	A	SKU	Price
0		PP-SD-65-52	\$65.11
()**	and a	PP-SD-65-39	\$65.11
Ø	-	PP-SD-52-39	\$65.11

End Trim



SKU	Price
E39-ET	\$28.58
E52-ET	\$47.24
E65-ET	\$73.58

Electric / Data

Electric and Data can be added to the baseline of each panel using the 6" electric and data raceway

Flex Cable

Commence of the second se	Dimensions
	Bintensions
31-8W-4C	31"

54-8W-4C

68-8W-4C

NYC Base Power Feed w/ Junction box and 60" Whip



SKU Price 8W-4C-BASE \$155.64

Receptacle Circuit

Price

\$16.73

\$16.73

\$16.73

Black Blank Outlet

	\square	
SKU		Price

BLANK-REC-8W-4C-325 \$13.26

54"

68"

Price

\$123.62

\$131.29

\$156.21

Wire Snake



Phone Jack

1-REC-8W-4C-325

2-REC-8W-4C-325

4-REC-8W-4C-325



SKU

SKU Price AT34-15 \$10.33

Data Blank

SKU	Price
AT31-00	\$0.75

Emerald Cubicle Collection Electric Raceway - Open with electric



Filler Cap For Data Plates

SKU	

Price FILL-CAP \$3.00

Emerald Cubicle Collection Electric Raceway - Open without electric



8 Wire, 4 Circuit Double **Sided Power Module**



SKU	Price
8W-4C-DS-TRI	\$78.02

8W-4W Dedicated Orange Circuit

SKU	Price	
3-REC-8W-4C-325	\$15.19	_

CAT 6 Jack

SKU	Price
AT66-00	\$21.46

Data Plate

FIF	
SKU	Price
AT4-FM	\$8.64

FINAL CONNECTION IS DONE BY A LICENSED ELECTRICIAN

WARNING:

Risk of fire or electric shock. As with all non-directional systems, do not electrically connect panel to more than one supply source. Always determine that the panel is electrically connected to one and only one source of supply. Before using any equipment, check the entire system for polarity, continuity, and grounding integrity.









Power Supply Connection

The Power System is an eight wire system consisting of four individual circuits rated at 20 amps/120 volts maximum. Circuit 1 (black), circuit 2 (red), and circuit 4 (pink), are served by a system neutral (white) and an equpiment ground (green). Circuit 3 (blue) uses an isolated neutral (gray), and an isolated ground (green/yellow). The system may be supplied by a three phase power system with four individual circuits rated 20 amps/120 volts maximum, or as perimtted by local code.

When connecting electric pass throughs to power moduals, please make sure ARROW is up

Outlet Layout Options 01



OUTLET - BLANK - BLANK 05



OUTLET - DEDICATED* - OUTLET





CAT 6 - Blank - Blank - Blank DM5



CAT 6 - Phone Jack - Blank - Blank



OUTLET - OUTLET - BLANK 06



DM2



CAT 6 - CAT 6 - Blank - Blank DM6



CAT 6 - CAT 6 - Phone Jack - Blank

All Modules can be customized to customers specifications. Please call to review

options with one of our sales representatives. Color of jacks may vary.

03

OUTLET - OUTLET - OUTLET



OUTLET - DEDICATED* - BLANK

*PLEASE NOTE: Orange is used to represent the dedicated outlet. The actual color of the outlet is black.

DM4

EMERALD Cubicles come with style #225 Outlets. SAPPHIRE Cubicles come with style #325 Outlets.



DM3

CAT 6 - CAT 6 - CAT 6 - Blank DM7







CAT 6 - CAT 6 - CAT 6 - CAT 6

Decorative Film For Glass Panels

Choose a decorative film for any of the glass toppers in the Emerald Cubicle System to enhance the overall look!



Descriptions	Dimensions	Price
One Sided Film - Frosted (25"H Tiles)	24"W x 25"H 36"W x 25"H	\$ 32.51
Double Sided Film - Frosted (25"H Tiles)	24"W x 25"H 36"W x 25"H	\$ 65.02

• Film can be placed on one or both sides of glass. Pricing is per side.

Film Styles

*Films provided by Decorative Films



Frosted Leaf



Frosted Vine Static Cling



Ice Forest Static Cling



Sand Static Cling





Frosted Fall Static Cling



Cling

Flicker





Asher



Mystic





eScape PET Color Options



SKUTCHI Fabrics

Our in house fabric options to customize panels of the Emerald Cubicle System. *Please note: The finish samples below are digital representations. Colors may vary. Please refer to an actual sample before finalizing your selections.



Laminate For Worksurfaces

Laminate options for the panel tiles

*Please note: The finish samples below are digital representations. Colors may vary. Please refer to an actual sample before finalizing your selections. **Domestic Laminates**



Black Oak



Maple

Sea Salt

Custom Fabrics

Kumo







Kumo Indigo

Kumo Dusk

Kumo Smoke





Gouache Oasis



Gouache Rust



Gouache Cocoa



Gouache Tuscan



Scallywag Wicker

String Art



String Art Baja



Scallywag Twilight

String Art Silver



Scallywag Fossil



String Art Charcoal

SKUTCHI Fabric Testing

Test results of how our fabric quality holds up under certain conditions

Test item	Test Standard	U	nit	Test R Small	
Color Fastness to Water	AATCC107-2002	Srain	Fading	4	4
	GB/T5713-1997	Srain	Fading	4	4
Color Fastness to	AATCC15-2002	Srain	Fading	4	4
Perspiration	GB/T3922-1997	Srain	Fading	4-5	4-5
Color Fastness to Washing	ISO 105-C03:1989	Srain	Fading	4-5	4-5
Color rusiness to washing	GB/T3921.3-1997	Srain	Fading	4-5	4-5
Color Fastness to Light	ISO 105-B02:1997	Xenon-Lamp		5	
Color I distriess to Light	GB/T8427-1998	Xenon-	-Lamp	5	
Color Fastness to Rubbing	AATCC8:2001	Dry	Wet	4-5	4-5
Color I damess to Rubbing	GB/T 3920-1997	Dry	Wet	4-5	4-5
T Sturr	ASTM D2261	Wrap	Filling	12.5	10.3
Tear Strength	GB/T3917.2-1997	Wrap	Filling	11	8.5
Soam Slippago Strongth	ASTM D434	Wrap	Filling	17.5	22
Seam Slippage Strength GB/T 13772.1-1992		Wrap	Filling	16	19.5
Same Branking Strangeth	ASTM D1683-04	Wrap	Filling	31.5	26.5
Seam Breaking Strength	GB/T 13773-1992	Wrap	Filling	45.9	47.7
T il ci il	ASTM D5034-1995-1	Wrap	Filling	87	63
Tensile Strength	GB/T3923.2-1997	Wrap	Filling	88	65
Burst Strength	ASTM D3787	c	cm ²	11:	7.9
Abrasion Resistance	ASTM D4966-98 Martindale 12Kpa			ov 30,/	
Flammability Test Required	California Technical Bulletir	n117 Section E, Part I (C	\$191-53)	Pa	SS
ridining lesi kequired	BS 5852 Part I: 1979, Mate	ch Test		Pa	SS



Custom Fabric Testing

String Art:

formance:	
Abrasion:	Heavy Duty – 60,000
	(Wyzenbeek – Cotton duck Abradant) (ASTM D4157)
Light fastness:	Class 4/60 hrs. min (AATCC 16 option 1)
Color fastness: Prints	Class 3 (AATCC 116) dry
	Class 3 (AATCC 8) wet
Recommended use:	Bedding, Drapery, Upholstery
made in:	Canada

Kumo:

NFPA 701 Method 1	
Performance:	
Abrasion:	Heavy Duty: 100,000
	(Wyzenbeek – Cotton duck Abradant) (ASTM D4157
Light fastness:	Class 4/60 hrs. min (AATCC 16 option 1)
Color fastness: Prints	Class 3 (AATCC 116) dry
	Class 3 (AATCC 8) wet
Recommended uses:	Bedding, Drapery, Upholstery
made in:	Canada

S - Dry clean recommended

Scallywag:

Flammability Passes

NFPA 701 Method 1

Performance:

abrasion:	
	Heavy Duty - 100,000 cycles
light fastness:	(Wyzenbeek – Cotton duck Abradant) (ASTM D4157)
color fastness: prints	Class 4/60 hrs. min. (AATCC 16)
	Class 3 (AATCC 116) Wet
recommended uses	Class 3 (AATCC 116) Dry
recommended uses	Bedding, Drapery, Upholstery
made in:	
	Canada

Care & Cleanability

S – Dry clean recommended

Gouache:

Flammability Passes

California Tech. Bulletin #117-2013 UFAC Class 1 NFPA 701 Method 1

Performance:

User Ditte CO 000 miles
Heavy Duty – 60,000 cycles
(Wyzenbeek – Cotton duck Abradant) (ASTM D4157)
Class 4/40 hrs. min. (AATCC16A)
Class 3 (ASTM D3597, AATCC 8) Wet
Class 4 (ASTM D3597, AATCC 8) Dry
Class 3 (ASTM D3511) Brush Pill
65 lbs. warp, 68 lbs. weft (ASTM D5034) Breaking Strength
40 lbs. warp, 44 lbs. weft (ASTM D4034) Seam Slippage
Bedding, Drapery, Upholstery
Canada

Care & Cleanability

Cleaning code ${\bf W}$ - Spot clean only with water-based upholstery shampoo or foam upholstery cleaner. Pretest a small, inconspicuous area before proceeding. Do not over wet. Do not use solvents to spot clean. Cushion covers should not be removed and laundered. When cleaning a spill, blot immediately to remove the spilled material. Evenly clean the entire panel in a seam to seam fashion. Do not clean just the spots or stains. When an overall soiled condition has been reached and professional care is required, contact an IICRC certified firm (www.iicrc.org).